EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	74	("transient database" OR "interim database" OR "ephemeral database" OR "incomplete database") network (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/23 14:27
L2	1	"20030112958".pn. (@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/23 17:44
L3	1	topology with "third database" network(@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/23 17:47
L4	60	topology "third database" network(@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/23 17:51
L5	2168	topology (multiple WITH databases) network(@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/23 17:51
L6	389	(topology WITH database) (multiple WITH databases) network (@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/23 17:51
S1	5352	709/223.ccls. (@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 15:02
S2	222449	(topology or mapping) (@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 15:02
S3	106375	(topology or mapping) network (@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 15:03

EAST Search History

S4	28299	(topology or mapping) WITH network (@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 15:03
S5	101	(topology or mapping) WITH network ((active or working) adj database) (@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 15:15
S6	37790	(topology or mapping or management) WITH network database (@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 15:16
S7	8159	(topology or mapping or management) WITH network update WITH database (@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 15:17
S8	2465	(topology or mapping or management) WITH network update WITH database (working or active or second or update) adj database (@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 15:18
S9	2395	(topology or mapping or management) WITH network update WITH database (working or active or second or update) adj database (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 15:18
S10	618	(topology or mapping or management) WITH network update WITH database (working or active or second or update) adj database (@ad<"20040202" OR @rlad<"20040202") not accenture. as. "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 16:36
S11	1	("6941350").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2007/08/21 16:27
S12	1890	topology (discover or discovery) (@ad<"20040202" OR @rlad<"20040202") not accenture. as. "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 16:38

S13	1067	topology (discover or discovery) active (@ad<"20040202" OR @rlad<"20040202") not accenture. as. "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 16:38
S14	1001	topology (discover or discovery) active (database or server) (@ad<"20040202" OR @rlad<"20040202") not accenture. as. "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 16:38
S15	145	topology (discover or discovery) active near2 (database or server) (@ad<"20040202" OR @rlad<"20040202") not accenture. as. "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 17:25
S16	818	topology (discover or discovery) active (change or switch or exchange) WITH database (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 17:25
S17	580	topology SAME network (discover or discovery) active (change or switch or exchange) WITH database (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 17:36
S18	243	topology network (discover or discovery) active (working or update or change) adj database (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 17:39
S19	79	topology network (discover or discovery) ("working database" or "change database") (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 17:41
S20	91	topology network (discover or discovery) ("working database" or "change database" or "static database") (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 17:45
S21	40	topology network (discover or discovery) ("primary database") (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 17:51

EAST Search History

S22	50	topology network (discover or discovery) ((switch or change or select) WITH active WITH database) (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 17:58
S23	451	topology network (discover or discovery) ((passive or copy) with database) (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 18:09
S24	17	topology network (discover or discovery) (static same (active with database)) (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 18:06
S25	0	topology network "passive database" "active database" (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 18:09
S26	1	topology network "working database" "active database" (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 18:10
S27	96	topology network "active database" (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 18:12
S28	6	"working database" "active database" network (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 18:14
S29	313	"static database" network (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 18:15
S30	6521	"static database" (@ad<"20040202" OR @rlad<"20040202") not accenture.as. 709/223.ccls. OR 709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 18:18

EAST Search History

S31	6515	"static database" topology (@ad<"20040202" OR @rlad<"20040202") not accenture. as. 709/223.ccls. OR 709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 18:19
S32	6	"static database" topology (@ad<"20040202" OR @rlad<"20040202") not accenture. as. 709/223-224.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 19:28
S33	1297	database topology (@ad<"20040202" OR @rlad<"20040202") not accenture. as. 709/223-224.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 15:39
S34	2	(interemediate or temporary) adj database topology (@ad<"20040202" OR @rlad<"20040202") not accenture. as. 709/223-224.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 15:50
S35	313	(switch or create or exchange) WITH database topology (@ad<"20040202" OR @rlad<"20040202") not accenture. as. 709/223-224.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 15:53
S36	225	(topology or topologies) (discovery or discovering) databases (@ad<"20040202" OR @rlad<"20040202") not accenture. as. 709/223-224.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	OFF	2007/08/22 16:07
S37	6	(dynamic or changing) WITH topology WITH database (@ad<"20040202" OR @rlad<"20040202") not accenture. as. 709/223-224.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 16:07
S38	64	(dynamic or changing) WITH topology WITH database (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 16:29
S39	11	database WITH mirroring network WITH topology (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 16:45
S40	6	availability WITH "topology database" (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 16:49

S41	6	"real-time topology database" OR "realtime topology database" OR "dynamic topology database" (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 16:50
S42	12	("real-time" or "realtime" or dynamic) adj3 "topology database" (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 17:18
S43	7	("real-time" or "realtime" or dynamic or cached or working or temporary) adj2 "topology database" (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 16:51
S44	12	("real-time" or "realtime" or dynamic or cached or working or temporary) adj3 "topology database" (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 16:51
S45	0	"point in time replication" OR "point-in-time replication" topology WITH database (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 17:20
S46	0	"point in time replication" OR "point-in-time replication" (topology OR "link state" or "link-state") WITH database (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 17:23
S47	0	"point in time replication" OR "point-in-time replication" (topology OR "link state" or "link-state") (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 17:22
S48	4	"point in time replication" OR "point-in-time replication" (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 17:22
S49	2157	(topology OR "link state" or "link-state") WITH database (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 17:24

EAST Search History

S50	43	(read OR "read only" OR "read-only") WITH (topology OR "link state" or "link-state") WITH database (@ad<"20040202" OR @rlad<"20040202") not accenture. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/23 14:27
S51	398	(topology OR "link state" or "link-state") database spanning tree loop compare (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 17:24